Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

*

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: AllorA Nitroverdünnung**

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Thinner, Diluent

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**
TOPLAC Autolackierbedarf GmbH
Hamburger Ring 15
01665 Klipphausen
info@toplac.de
www.toplac.de

· **1.4 Emergency telephone number:** 24-Stunden-Notrufnummer des GGIZ +49-361-730730

*

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

GHS02 flame

Flam. Liq. 3	H226	Flammable liquid and vapour.

GHS08 health hazard

STOT RE 2	H373	May cause damage to organs through prolonged or repeated exposure.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.

GHS07

Skin Irrit. 2	H315	Causes skin irritation.
Eye Irrit. 2	H319	Causes serious eye irritation.
STOT SE 3	H335-H336	May cause respiratory irritation. May cause drowsiness or dizziness.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**

GHS02 GHS07 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**
xylene
Hydrocarbons, C9, aromatics
butyl acetate
acetone

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 1)

· ***Hazard statements***

H226	*Flammable liquid and vapour.*
H315	*Causes skin irritation.*
H319	*Causes serious eye irritation.*
H335-H336	*May cause respiratory irritation. May cause drowsiness or dizziness.*
H373	*May cause damage to organs through prolonged or repeated exposure.*
H304	*May be fatal if swallowed and enters airways.*
H412	*Harmful to aquatic life with long lasting effects.*

· ***Precautionary statements***

P101	*If medical advice is needed, have product container or label at hand.*
P102	*Keep out of reach of children.*
P103	*Read label before use.*
P210	*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*
P301+P310	*IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*
P303+P361+P353	*IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*
P305+P351+P338	*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*
P405	*Store locked up.*
P501	*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· ***2.3 Other hazards***

· ***Results of PBT and vPvB assessment***

· ***PBT:*** *Not applicable.*

· ***vPvB:*** *Not applicable.*

*

SECTION 3: Composition/information on ingredients

· ***3.2 Chemical characterisation: Mixtures***

· ***Description:*** *Mixture of substances listed below with nonhazardous additions.*

· ***Dangerous components:***

CAS: 123-86-4 *EINECS: 204-658-1* *Reg.nr.: 01-2119485493-29*	*butyl acetate* *Flam. Liq. 3, H226; STOT SE 3, H336*	*25-50%*
CAS: 1330-20-7 *EINECS: 215-535-7* *Reg.nr.: 01-2119488216-32*	*xylene* *Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335*	*10-25%*
EC number: 918-668-5 *Reg.nr.: 01-2119455851-35*	*Hydrocarbons, C9, aromatics* *Flam. Liq. 3, H226; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H335-H336*	*10-25%*
CAS: 108-65-6 *EINECS: 203-603-9* *Reg.nr.: 01-2119475791-29*	*2-methoxy-1-methylethyl acetate* *Flam. Liq. 3, H226*	*10-25%*
CAS: 67-64-1 *EINECS: 200-662-2* *Reg.nr.: 01-2119471330-49*	*acetone* *Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336*	*≥0.1-≤5%*
CAS: 100-41-4 *EINECS: 202-849-4* *Reg.nr.: 01-2119489370-35*	*ethylbenzene* *Flam. Liq. 2, H225; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412*	*2.5-10%*

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 2)

· ***Additional information:*** *For the wording of the listed hazard phrases refer to section 16.*

*

SECTION 4: First aid measures

· ***4.1 Description of first aid measures***
· ***General information:***
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
· ***After inhalation:***
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
· ***After skin contact:*** *Immediately wash with water and soap and rinse thoroughly.*
· ***After eye contact:***
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· ***After swallowing:*** *Seek immediate medical advice.*
· ***4.3 Indication of any immediate medical attention and special treatment needed***
No further relevant information available.
· ***Information for doctor:***

*

SECTION 5: Firefighting measures

· ***5.1 Extinguishing media***
· ***Suitable extinguishing agents:*** *CO2, sand, extinguishing powder. Do not use water.*
· ***For safety reasons unsuitable extinguishing agents:*** *Water with full jet*
· ***5.2 Special hazards arising from the substance or mixture*** *No further relevant information available.*
· ***5.3 Advice for firefighters***
· ***Protective equipment:*** *Mouth respiratory protective device.*

*

SECTION 6: Accidental release measures

· ***6.1 Personal precautions, protective equipment and emergency procedures***
Wear protective equipment. Keep unprotected persons away.
· ***6.2 Environmental precautions:***
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
· ***6.3 Methods and material for containment and cleaning up:***
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
· ***6.4 Reference to other sections***
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

*

SECTION 7: Handling and storage

· ***7.1 Precautions for safe handling***
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 3)

· ***Information about fire - and explosion protection:***
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

· ***7.2 Conditions for safe storage, including any incompatibilities***
· ***Storage:***
· ***Requirements to be met by storerooms and receptacles:*** *No special requirements.*
· ***Information about storage in one common storage facility:*** *Store away from foodstuffs.*
· ***Further information about storage conditions:*** *Keep container tightly sealed.*
· ***Storage class:*** *3*
· ***7.3 Specific end use(s)*** *No further relevant information available.*

*

SECTION 8: Exposure controls/personal protection

· ***Additional information about design of technical facilities:*** *No further data; see item 7.*

· ***8.1 Control parameters***

· **Ingredients with limit values that require monitoring at the workplace:**	
123-86-4 butyl acetate	
WEL	Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm
1330-20-7 xylene	
WEL	Short-term value: 441 mg/m³, 100 ppm Long-term value: 220 mg/m³, 50 ppm Sk; BMGV
108-65-6 2-methoxy-1-methylethyl acetate	
WEL	Short-term value: 548 mg/m³, 100 ppm Long-term value: 274 mg/m³, 50 ppm Sk
67-64-1 acetone	
WEL	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm
100-41-4 ethylbenzene	
WEL	Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk

· **Ingredients with biological limit values:**	
1330-20-7 xylene	
BMGV	650 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: methyl hippuric acid

· ***Additional information:*** *The lists valid during the making were used as basis.*

· ***8.2 Exposure controls***
· ***Personal protective equipment:***
· ***General protective and hygienic measures:***
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the skin.
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 4)

· ***Respiratory protection:***

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· ***Protection of hands:***
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves (EN 374)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· ***Material of gloves***
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· ***Breakthrough time of glove material***
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· ***Eye protection:***

Tightly sealed goggles

*

SECTION 9: Physical and chemical properties

· ***9.1 Information on basic physical and chemical properties***	
· ***General Information***	
· ***Appearance:***	
Form:	*Fluid*
Colour:	*According to product specification*
· ***Odour:***	*Characteristic*
· ***Odour threshold:***	*Not determined.*
· ***pH-value:***	*Not determined.*
· ***Change in condition***	
Melting point/freezing point:	*Undetermined.*
Initial boiling point and boiling range:	*56°C*
· ***Flash point:***	*23°C (DIN 53213)*
· ***Flammability (solid, gas):***	*Not applicable.*
· ***Ignition temperature:***	*315°C (DIN 51794)*
· ***Decomposition temperature:***	*Not determined.*
· ***Auto-ignition temperature:***	*Product is not selfigniting.*

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 5)

· ***Explosive properties:***	*Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.*
· ***Explosion limits:***	
Lower:	*0.7 Vol %*
Upper:	*10.8 Vol %*
· ***Vapour pressure at 20°C:***	*10.7 hPa*
· ***Density at 20°C:***	*0.881 g/cm³ (DIN 53217)*
· ***Relative density***	*Not determined.*
· ***Vapour density***	*Not determined.*
· ***Evaporation rate***	*Not determined.*
· ***Solubility in / Miscibility with water:***	*Not miscible or difficult to mix.*
· ***Partition coefficient: n-octanol/water:***	*Not determined.*
· ***Viscosity:***	
Dynamic:	*Not determined.*
Kinematic:	*Not determined.*
· ***Solvent content:***	
VOC (EC)	*100.00 %*
Solids content (weight-%):	*0.0 %*
· ***9.2 Other information***	*No further relevant information available.*

*

SECTION 10: Stability and reactivity

· ***10.1 Reactivity*** *No further relevant information available.*
· ***10.2 Chemical stability***
· ***Thermal decomposition / conditions to be avoided:*** *No decomposition if used according to specifications.*
· ***10.3 Possibility of hazardous reactions*** *No dangerous reactions known.*
· ***10.4 Conditions to avoid*** *No further relevant information available.*
· ***10.5 Incompatible materials:*** *No further relevant information available.*
· ***10.6 Hazardous decomposition products:*** *Carbon monoxide*

*

SECTION 11: Toxicological information

· ***11.1 Information on toxicological effects***
· ***Acute toxicity*** *Based on available data, the classification criteria are not met.*

· ***LD/LC50 values relevant for classification:***		
1330-20-7 xylene		
Oral	*LD50*	*5,251 mg/kg (rat)*
Dermal	*LD50*	*>5,000 mg/kg (rabbit)*
Inhalative	*LC50/4 h (Dämpfe)*	*29 mg/l (rat)*
Hydrocarbons, C9, aromatics		
Oral	*LD50*	*>2,000 mg/kg (rat)*
Dermal	*LD50*	*>2,000 mg/kg (rab)*

· ***Primary irritant effect:***
· ***Skin corrosion/irritation***
Causes skin irritation.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 6)

· ***Serious eye damage/irritation***
Causes serious eye irritation.
· ***Respiratory or skin sensitisation*** *Based on available data, the classification criteria are not met.*
· ***CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)***
· ***Germ cell mutagenicity*** *Based on available data, the classification criteria are not met.*
· ***Carcinogenicity*** *Based on available data, the classification criteria are not met.*
· ***Reproductive toxicity*** *Based on available data, the classification criteria are not met.*
· ***STOT-single exposure***
May cause respiratory irritation. May cause drowsiness or dizziness.
· ***STOT-repeated exposure***
May cause damage to organs through prolonged or repeated exposure.
· ***Aspiration hazard***
May be fatal if swallowed and enters airways.

*
SECTION 12: Ecological information

· ***12.1 Toxicity***
· ***Aquatic toxicity:*** *No further relevant information available.*
· ***12.2 Persistence and degradability*** *No further relevant information available.*
· ***12.3 Bioaccumulative potential*** *No further relevant information available.*
· ***12.4 Mobility in soil*** *No further relevant information available.*
· ***Ecotoxical effects:***
· ***Remark:*** *Harmful to fish*
· ***Additional ecological information:***
· ***General notes:***
Water hazard class 2 (German Regulation) : hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
· ***12.5 Results of PBT and vPvB assessment***
· ***PBT:*** *Not applicable.*
· ***vPvB:*** *Not applicable.*
· ***12.6 Other adverse effects*** *No further relevant information available.*

SECTION 13: Disposal considerations

· ***13.1 Waste treatment methods***
· ***Recommendation***
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· ***European waste catalogue***	
*14 06 03**	*other solvents and solvent mixtures*

· ***Uncleaned packaging:***
· ***Recommendation:*** *Disposal must be made according to official regulations.*

*
SECTION 14: Transport information

· ***14.1 UN-Number***
· ***ADR, IMDG, IATA*** *UN1993*

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 7)

· ***14.2 UN proper shipping name***

· ***ADR*** *UN1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES, XYLENES)*

· ***IMDG, IATA*** *FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES, XYLENES)*

· ***14.3 Transport hazard class(es)***

· ***ADR***

· ***Class*** *3 (F1) Flammable liquids.*

· ***Label*** *3*

· ***IMDG, IATA***

· ***Class*** *3 Flammable liquids.*

· ***Label*** *3*

· ***14.4 Packing group***

· ***ADR, IMDG, IATA*** *III*

· ***14.5 Environmental hazards:***

· ***Marine pollutant:*** *No*

· ***14.6 Special precautions for user*** *Warning: Flammable liquids.*

· ***Danger code (Kemler):*** *30*

· ***EMS Number:*** *F-E,S-E*

· ***Stowage Category*** *A*

· ***14.7 Transport in bulk according to Annex II of Marpol and the IBC Code*** *Not applicable.*

· ***Transport/Additional information:***

· ***ADR***

· ***Transport category*** *3*

· ***Tunnel restriction code*** *D/E*

· ***IMDG***

· ***Limited quantities (LQ)*** *5L*

· ***UN "Model Regulation":*** *UN 1993 FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES, XYLENES), 3, III*

*

SECTION 15: Regulatory information

· ***15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture***

· ***Directive 2012/18/EU***

· ***Named dangerous substances - ANNEX I*** *None of the ingredients is listed.*

· ***Seveso category*** *P5c FLAMMABLE LIQUIDS*

· ***Qualifying quantity (tonnes) for the application of lower-tier requirements*** *5,000 t*

· ***Qualifying quantity (tonnes) for the application of upper-tier requirements*** *50,000 t*

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 10.04.2018 *Version number 5* *Revision: 24.01.2018*

Trade name: AllorA Nitroverdünnung

(Contd. of page 8)

· ***REGULATION (EC) No 1907/2006 ANNEX XVII*** *Conditions of restriction: 3*

· ***National regulations:***

Class	*Share in %*
NK	*50-100*

· ***15.2 Chemical safety assessment:*** *A Chemical Safety Assessment has not been carried out.*

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· ***Relevant phrases***
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

· ***Classification according to Regulation (EC) No 1272/2008***
The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

· ***Abbreviations and acronyms:***
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **** Data compared to the previous version altered.***